

## Wall Mount ONT Bracket Holders List

ONT Bracket Holders are created with space in mind as it removes the need to mount separate slack storage boxes and terminals inside the subscriber's home, which makes Internet Service Providers improve the customer experience by reducing the clutter on their walls, as well as reducing the cost of installation.

### ONT & Wall Bracket Holders Reference Sheet

No	ONT	ONT Holder	Brand	ONT Model	Bracket Model
1			Nokia	ONT G-010G-T	WB-24A
2			Nokia	ONT XS-230X-A	WB-24B
3			Adtran	SDX 600 Series	WB-24C

# Bativ

## ONT Holders

4			Adtran	SDX 630 Series	WB-24D
5			Nokia	XS-010G-Q	WB-24E
6			Nokia	G-010G-A	WB-18A
7			Adtran	411 ONT	WB-18B

\* You can request us to customize ONT bracket holder for other ONT out of the above ONTs. Please write to [james@bativ.com](mailto:james@bativ.com) for further discussion.

## Nokia ONT G-010G-T ONT Wall Bracket Holder (WB-24A)



### WB-24A

#### Introduction

Slack storage capacity of up to 4m of 2.0mm fiber cable

Tough and flexible PC-ABS material, color matched to the Nokia ONT G-010G-T

Easy to install ONT on the bracket holder

Suitable to Low Voltage Mounting Bracket Single Gang

1 location for Fusion Splice Heat Shrink Protectors

Internal retention clips for incoming and outgoing cable

Removes the need for additional terminals and boxes

Compatible with pigtailed, patch cords and fusion splices

Mounts to the wall in seconds, with no specialist tools required

#### Specifications

Bracket Model	WB-24A
ONT Model	Nokia ONT G-010G-T
Installation Type	Wall Mount

# Bativ

## ONT Holders

Material	ABS
Flame Resistant	Yes
Bracket Dimension (mm)	190*90*43mm
Bracket Weight (g)	118g
Quantity per Carton	70pcs
Dimensions of Carton	61*49*21cm
Weight (g) per Carton	9.2kg
Quantity per Pallet	2240pcs
Cartons per Pallet	32
Pallet Size (cm)	110*110*184cm
Lead Time	3000pcs/day
Sample	Free

## Nokia ONT XS-230X-A ONT Wall Bracket Holder (WB-24B)



### WB-24B

#### Introduction

Slack storage capacity of up to 2m of 2.0mm fiber cable

Tough and flexible PC-ABS material, color matched to the Nokia ONT XS-230X-A

Easy to install ONT on the bracket holder

4 screws to fix it on the wall

1 location for SC simplex or LC Duplex adapter

Internal retention clips for incoming and outgoing cable

Removes the need for additional terminals and boxes

Mounts to the wall in seconds, with no specialist tools required

#### Specifications

Bracket Model	WB-24B
ONT Model	Nokia ONT XS-230X-A
Installation Type	Wall Mount
Material	ABS
Flame Resistant	Yes

# Bativ

## ONT Holders

Bracket Dimension (mm)	188*122*16mm
Bracket Weight (g)	93g
Quantity per Carton	140pcs
Dimensions of Carton	61*49*21cm
Weight (g) per Carton	14.1kg
Quantity per Pallet	4480pcs
Cartons per Pallet	32
Pallet Size (cm)	110*110*184cm
Lead Time	3000pcs/day
Sample	Free

## Adtran SDX 600 Series ONT Wall Bracket Holder (WB-24C)



### WB-24C

#### Introduction

Slack storage capacity of up to 4m of 2.0mm fiber cable

Tough and flexible PC-ABS material, color matched to the Adtran SDx 600 Series

Easy to install ONT on the bracket holder

Suitable to Low Voltage Mounting Bracket Single Gang

1 location for Fusion Splice Heat Shrink Protectors

Internal retention clips for incoming and outgoing cable

Removes the need for additional terminals and boxes

Compatible with pigtailed, patch cords and fusion splices

Mounts to the wall in seconds, with no specialist tools required

#### Specifications

Bracket Model	WB-24C
ONT Model	Adtran SDX 600 Series
Installation Type	Wall Mount
Material	ABS

# Bativ

## ONT Holders

Flame Resistant	Yes
Bracket Dimension (mm)	196*110*45mm
Bracket Weight (g)	142g
Quantity per Carton	50pcs
Dimensions of Carton	61*49*21cm
Weight (g) per Carton	7.1kg
Quantity per Pallet	1600pcs
Cartons per Pallet	32
Pallet Size (cm)	110*110*184cm
Lead Time	3000pcs/day
Sample	Free

## Adtran SDX 630 Series ONT Wall Bracket Holder (WB-24D)



### WB-24D

#### Introduction

- Slack storage capacity of up to 4m of 2.0mm fiber cable
- Tough and flexible PC-ABS material, color matched to the Adtran SDX 630 Series
- Easy to install ONT on the bracket holder
- Suitable to Low Voltage Mounting Bracket Single Gang
- 1 location for Fusion Splice Heat Shrink Protectors
- Internal retention clips for incoming and outgoing cable
- Removes the need for additional terminals and boxes
- Compatible with pigtailed, patch cords and fusion splices
- Mounts to the wall in seconds, with no specialist tools required

#### Specifications

Bracket Model	WB-24D
ONT Model	Adtran SDX 630 Series
Installation Type	Wall Mount
Material	ABS

# Bativ

## ONT Holders

Flame Resistant	Yes
Bracket Dimension (mm)	242*165*46mm
Bracket Weight (g)	226g
Quantity per Carton	30pcs
Dimensions of Carton	51*49*26cm
Weight (g) per Carton	7.7kg
Quantity per Pallet	960pcs
Cartons per Pallet	32
Pallet Size (cm)	100*100*210cm
Lead Time	3000pcs/day
Sample	Free

## Nokia XS-010G-Q ONT Wall Bracket Holder (WB-24E)



### WB-24E

#### Introduction

- Slack storage capacity of up to 4m of 2.0mm fiber cable
- Tough and flexible PC-ABS material, color matched to the Nokia XS-010G-Q
- Easy to install ONT on the bracket holder
- Suitable to Low Voltage Mounting Bracket Single Gang
- 1 location for Fusion Splice Heat Shrink Protectors
- Internal retention clips for incoming and outgoing cable
- Removes the need for additional terminals and boxes
- Compatible with pigtailed, patch cords and fusion splices
- Mounts to the wall in seconds, with no specialist tools required

#### Specifications

Bracket Model	WB-24E
ONT Model	Nokia XS-010G-Q
Installation Type	Wall Mount
Material	ABS

# Bativ

## ONT Holders

Flame Resistant	Yes
Bracket Dimension (mm)	220*142*50mm
Bracket Weight (g)	204g
Quantity per Carton	40pcs
Dimensions of Carton	60*51*24cm
Weight (g) per Carton	10.6kg
Quantity per Pallet	1280pcs
Cartons per Pallet	32
Pallet Size (cm)	110*110*210cm
Lead Time	2000pcs/day
Sample	Free

### Nokia G-010G-A ONT Wall Bracket Holder (WB-18A)



## WB-18A

### Introduction

- Slack storage capacity of up to 4m of 2.0mm fiber cable
- Tough and flexible PC-ABS material, color matched to the Nokia G-010G-A
- Easy to install ONT on the bracket holder
- Suitable to Low Voltage Mounting Bracket Single Gang
- 1 location for Fusion Splice Heat Shrink Protectors
- Internal retention clips for incoming and outgoing cable
- Removes the need for additional terminals and boxes
- Compatible with pigtailed, patch cords and fusion splices
- Mounts to the wall in seconds, with no specialist tools required

### Specifications

Bracket Model	WB-18A
ONT Model	Nokia G-010G-A
Installation Type	Wall Mount
Material	ABS

# Bativ

## ONT Holders

Flame Resistant	Yes
Bracket Dimension (mm)	190*90*52mm
Bracket Weight (g)	128g
Quantity per Carton	80pcs
Dimensions of Carton	50*43*38cm
Weight (g) per Carton	12.2kg
Quantity per Pallet	1920pcs
Cartons per Pallet	24
Pallet Size (cm)	128*100*167
Lead Time	3000pcs/day
Sample	Free

### Adtran 411 ONT ONT Wall Bracket Holder (WB-18B)



## WB-18B

### Introduction

- Slack storage capacity of up to 4m of 2.0mm fiber cable
- Tough and flexible PC-ABS material, color matched to the Adtran 411 ONT
- Easy to install ONT on the bracket holder
- Suitable to Low Voltage Mounting Bracket Single Gang
- 1 location for Fusion Splice Heat Shrink Protectors
- Internal retention clips for incoming and outgoing cable
- Removes the need for additional terminals and boxes
- Compatible with pigtailed, patch cords and fusion splices
- Mounts to the wall in seconds, with no specialist tools required

### Specifications

Bracket Model	WB-18B
ONT Model	Adtran 411 ONT
Installation Type	Wall Mount
Material	ABS

Flame Resistant	Yes
Bracket Dimension (mm)	210*104*52mm
Bracket Weight (g)	182g
Quantity per Carton	40pcs
Dimensions of Carton	53*43*25cm
Weight (g) per Carton	8.5kg
Quantity per Pallet	1920pcs
Cartons per Pallet	48
Pallet Size (cm)	129*107*210cm
Lead Time	2000pcs/day
Sample	Free

### Get Free Sample Now?

#### Guangzhou Bativ Technology Co.,Limited

Contact: Sales

Whatsapp: +8613817004898

Web: [www.bativ.com](http://www.bativ.com)

Email: [info@bativ.com](mailto:info@bativ.com)